

Wisconsin Rapids Public School District - Board of Education 510 Peach Street Wisconsin Rapids, WI 54494 (715)

(715) 424-6701

Business Services Committee

John Benbow, Jr., Chairman Katherine Bielski-Medina, Member Troy Bier, Member John A. Krings, President

May 3, 2021

LOCATION: Board of Education, 510 Peach Street, Wisconsin Rapids, WI Conference Room C

TIME: Immediately following the Educational Services Committee Meeting, but not before 6:15 p.m.

- I. Call to Order
- II. Public Comment
- III. Actionable Items
 - A. Policy 672.1 Proposals for Professional Services to be deleted (First Reading)
 - B. District Wide Mower Purchase Approval

IV. Updates and Reports

- A. Purchases Update
- B. Budget Update

V. Agenda Items

VI. Future Agenda Items

With advance notice, efforts will be made to accommodate the needs of persons with disabilities by providing a sign language interpreter or other auxiliary aids, by calling 715-424-6701.

The Wisconsin open meetings law requires that the Board, or Board Committee, only take action on subject matter that is noticed on their respective agendas. Persons wishing to place items on the agenda should contact the District Office at <u>715-424-6701</u>, at least seven working days prior to the meeting date for the item to be considered. The item may be referred to the appropriate committee or placed on the Board agenda as determined by the Superintendent and/or Board president.

School Board members may attend the above Committee meeting(s) for information gathering purposes. If a quorum of Board members should appear at any of the Committee meetings, a regular School Board meeting may take place for purposes of gathering information on an item listed on one of the Committee agendas. If such a meeting should occur, the date, time, and location of the Board meeting will be that of the particular Committee as listed on the Committee agenda.



Wisconsin Rapids Public School District - Board of Education 510 Peach Street Wisconsin Rapids, WI 54494 (715) 4

(715) 424-6701

Business Services Committee

John Benbow, Jr., Chairman Katherine Bielski-Medina, Member Troy Bier, Member John A Krings, President

May 3, 2021

- LOCATION: Board of Education, 510 Peach Street, Wisconsin Rapids, WI Conference Room C
- TIME: Immediately following the Educational Services Committee Meeting, but not before 6:15 p.m.
- I. Call to Order
- II. Public Comment
- III. Actionable Items
 - A. Policy 672.1 Proposals for Professional Services to be deleted (First Reading)

With recent changes made to Board Policy 672 - Purchasing Procedures / Competitive Pricing, there is no longer a need for Policy 672.1 - Proposals for Professional Services (Attachment A). Policy 672 specifies that bids are not required for architectural services, attorney services, and personal service contracts.

The Administration recommends approval of the deletion of Policy 672.1 - Proposals for Professional Services for first reading (see Attachment A).

B. District Wide Mower Purchase – Approval

The District has a 36-year-old Toro 580 mower which has served its useful life and needs to be replaced. We are looking to replace the Toro with a Jacobsen HR 660 11' mower. We have received bids for the replacement and recommend that the District grant the bid to the low bidder, Horst Distributors at a cost of \$63,970 to be paid out of the 2020-21 Buildings & Grounds budget (see Attachment B).

- III. Updates and Reports
 - A. Purchases Update

Copies of the following invoices, bid specs or Purchase Orders are included:

- Flocabulary Inc. Flocabulary Renewal of Video Streaming Service Purchase with Common School Library Funds from the 2021-22 Budget (see Attachment C).
- Follett School Solutions Inc. Follett Library and Resource Management Renewal Purchase with Common School Library Funds & District Technology Budgets from the 2021-22 Budget (see Attachment D).

- PDS 31 CTO ProDesk 600 G6 Computers for LHS (purchased before Board approval due to time constraints) Purchase with Technology funds from the 2020-21 Budget (see Attachment E).
- PDS 16 CTO ProDesk 400 G7 Computers for Pitsch Purchase with Technology funds from the 2020-21 Budget (see Attachment F).
- Skyward Software for Student Management, Support, Food Service, Fee Tracking and LMS/One Roster. Second year of a three-year contract, approved in April 2020. Purchase with ESSER III funds from the 2021-22 Budget (see Attachment G).
- Boys & Girls Club Financial support of the Teen Director position. Purchase with Behavior and Mental Wellness Grant from the 2020-21 Budget (see Attachment H).
- B. Budget Update

Current School Year (2020-21)

- The current year Fund 10 budget was approved with a \$1.3 million deficit. This deficit is a result of paying off \$6.3 million of Fund 38 debt. Next year the Fund 38 debt levy will fall to \$2.5 million.
- District salary budget is projected to be over by \$585,000 as additional staff were hired due to COVID, most of this overrun will be covered by ESSER II funds.
- Benefit budgets as a whole appear to be tracking within budget. ESSER II funds will help reduce these costs even further.
- Virtual schools will be exceeding budget by roughly \$200,000 due to increased enrollments. We are projecting these budgets will be back to normal next school year as students migrate back to traditional learning environments.
- Transportation budgets will come in under budget by roughly \$350,000. This is a result of fewer routes needed and a reduction in the number of school days.
- We are being conservative with building and department budgets and are making the assumption they will be fully spent. Most should be under budget at the end of the school year.
- A budget revision request will be brought to the full Board in July.

Next School Year (2021-22)

- With payoff of debt in current year budget and future ESSER funds, the District budget looks to be in good condition for the next couple years.
 - General Aid
 - Equalized Value
 - Allowable Per Pupil Increase
 - Non-Recurring Referenda
 - Fund 39 Debt
- ESSER II & III funds will help pay for additional staff and other curriculum items that would normally take place in the district budget.
- We will be a need to be strategic with ESSER funds. As these funds dissipate we will need to eliminate the additional expenditures or transfer the costs back to districts budget.
- V. Agenda Items

Committee members will be asked which agenda items from the Committee meeting will be placed on the consent agenda for the regular Board of Education meeting.

VI. Future Agenda Items

No future agenda items of the Business Services Committee were identified.



672.1 PROPOSALS FOR PROFESSIONAL SERVICES

The Board recognizes that certain services do not lend themselves to the traditional bid process because of the qualitative characteristics involved in the service. These professional services include, but are not limited to, those provided by attorneys, architects, auditors, engineers, and the like.

The policy is intended to encourage free competition, thereby obtaining the best value for the district. It neither promotes nor discourages continuation with the current professional service provider, rather it provides a basis for the regular evaluation of services to assure continued quality at a reasonable price. Wherever possible, local bidders and suppliers will be given serious consideration and the opportunity to bid.

Administration should solicit proposals for these types of services on a case by case basis where the cost of the project is expected to exceed \$5,000, but in all instances, not less than once every three years. Requests for proposals should be widely distributed (advertised) and general enough not to exclude capable service providers.

Evaluation criteria may be developed by the administration and approved by the Board prior to requesting proposals. Such criteria may include but are not limited to: timeliness of service, education of personnel, size of firm, membership in professional organizations, references, similarity of type of work, area of specialty, and location of the firm. Final selection of a service provider shall be approved by the Board.

On nonrecurring and isolated legal matters, it is encouraged that the work be granted to firms that have not recently been retained by the district on larger matters and that local firms be given preference.

APPROVED: November 11, 1974

REVISED: July 7, 1986

October 10, 1988 January 11, 1993 January 14, 2002

Jacobsen HR600 Mower

Date Due: April 2, 2021

	Burris Equipment	Turf Werks	Horst Distributing
	Waukegan, WI	Johnston, IA	Chilton, WI
Email/Fax/Mail	Email	Email	Email
	Phil Taylor	Rob	Grant
	847-336-1205	515-471-1539	920-849-2341
Delivery Date	August	July/August	June/July
DESCRIPTION			
Jacobsen HR660 Mower, Kubota 4			
Cycle, Turbo diesel engine, 4WD,			
deluxe supspension seat, 11 ft.			
cutting width, foldable ROPS.	\$67,556.00	\$68,000.00	\$62,985.00
Option: Canopy/Sunshade kit	\$1,143.00	\$1,200.00	\$985.00
Shipping	\$1,749.00	\$1,200.00	\$0.00
TOTAL FOR Mower with option	\$70,448.00	\$70,400.00	\$63,970.00

Recommendation to go with low bidder: Horst Distributing.





HR800

JACOBSEN® ADVANTAGE

For over 95 years, Jacobsen has been designing and manufacturing industry-leading turf maintenance equipment. A strong focus on engineering innovative technology has led to advancements that deliver impeccable quality of cut on user-friendly equipment.

ENGINE





EQUIPPED AS STANDARD

- SureTrac™ 4WD • Foldable ROPS
- 3.8in. full color display
- screen
- Tilt steering wheel
- 4-point tie downs
- ISO mounted operator's platform
- Fully adjustable suspension seat with seat belt
- Armrest controls

OPTIONS

- Road light kit
- Canopy/sunshade
- Climate controlled cab
- Cab accessories:
- Road light kit
- Rear wiper kit

Fully	sealed,	maintenance

- free rear axle Cruise control
- · Password protected, programmable travel speeds
- Selectable manual, automatic, and creep modes
- Reversing fan to keep air
- intake screen clear (HR800 only)

TYPE a-cyl, turbo diesel a-cyl, turbo diesel a-cyl, turbo diesel RATED HORSEPOWER* (GROSS) 65.2HP (48.6 kW) @ 2700 rpm 65.2HP (48.6 kW) @ 2700 rpm 74.3HP (55.4 kW) @ 2600 r EMISSION LEVEL ENATiser 4 Final (EU Stage III8) Side-by-side radiator/hydralic oil cooler; pressurace; all cooler; pressurace; 14.7 qf (13.9) Side-by-side radiator/hydra oil cooler; pressurace; 14.7 qf (13.9) FUEL CAPACITY 20.4 gal (77.1 L) 29.5 gal (109.8 L) 12-volt, input/output controller. 60 amp alternator. Overload protection with automotive type fuses. Tavolt, insp alternator. Overload protection with automotive type fuses. TRACTION & DRIVE Hydrostatic closed loop parallel-cross-series SureTrac TM system; variable displacement pisto pump; front high torque piston wheel motors Seven individual hydraulic motors with self lubricating integral bearings MYDRAULIC CAPACITY 13.3 gal (50.2 fitre) capacity reservoir 20.3 gal (76.8 liter) capacity reservoir PHYDRAULIC CAPACITY 13.3 gal (50.2 fitre) capacity reservoir 20.3 gal (76.8 liter) capacity reservoir MYDRAULIC CAPACITY 13.3 gal (50.2 liter) capacity reservoir 20.3 gal (76.8 liter) capacity reservoir PHYDRAULIC CAPACITY 13.3 gal (50.2 liter) capacity reservoir 20.3 gal (76.8 liter) capacity reservoir MYDRAULIC CAPACITY 13.3 gal (50.2 liter)	RATED HORSEPOWER* (GROSS) EMISSION LEVEL COOLING SYSTEM FUEL CAPACITY ELECTRICAL SYSTEM TRACTION & DRIVE TRACTION SYSTEM DECK DRIVE HYDRAULIC CAPACITY	4-cyl, turbo diesel 65.2HP (48.6 kW) @ 2700 rpm Side-by-side radiator/hydra 8 qt (7.6 L) capacity 20.4 gal 12-volt, input/output cont Overload protection with Hydrostatic closed loop paralle pump; Seven individual hydraulic motors with self lubricating integral bearings 13.3 gal (50.2 liter; O-ring face seal fittings, 10 mic	4-cyl, turbo diesel 65.2HP (48.6 kW) @ 2700 rpm EPA Tier 4 Final (EU Stage IIIB) ulic oil cooler; pressurized; y, 8.5 fins per inch (77.1 L) troller. 60 amp alternator. n automotive type fuses. el-cross-series SureTrac [™] system; front high torque piston wheel r Nine individual hydraulic moto bear) capacity reservoir	 74.3HP (55.4 kW) @ 2600 rpm Side-by-side radiator/hydraulic oil cooler; reversing fan; pressurized; 14.7 qt (13.9L) capacity, 8.5 fins per inch 29.5 gal (109.8 L) 12-volt, input/output controller. 90 amp alternator. Overload protection with automotive type fuses. variable displacement piston notors rs with self lubricating integral ings 20.3 gal (76.8 liter) capacity
EMISSION LEVEL EPA Tier 4 Final (EU Stage IIIB) COOLING SYSTEM Side-by-side radiator/hydraulic oil cooler, pressurized, 8 qt (7.6 L) capacity, 8.5 fins per inch Side-by-side radiator/hydraulic oil cooler, reversing fan, 9 capacity, 8.5 fins per inch FUEL CAPACITY 20.4 gal (77.1 L) 29.5 gal (109.8 L) ELECTRICAL SYSTEM 12-volt, input/output controller. 60 amp alternator. Overload protection with automotive type fuses. Controller. 90 amp alternator. Overload protection with automotive type fuses. TRACTION & DRIVE Hydrostatic closed loop parallel-cross-series SureTrac TM system; variable displacement pisto pump, front high torque piston with self lubricating integ integral bearings. Nine individual hydraulic motors with self lubricating. PRORAULIC CAPACITY 13.3 gal (50.2 liter) capacity reservoir 20.3 gal (76.8 liter) capacity reservoir PYDRAULIC SYSTEM 0-ring face seal fittings, 10 micron remote charge filters, suction screen at tank, oil cooler by side radiator, diagnostic test ports. PSEED (MAXIMUM) 11 mph (12.7 km/h) 11 mph (12.7 km/h) PRONT TIRES 26 x 12-12 tubeless 8 ply 26.5 x 14-12 tubeless 6 pl SRER RES 20 x 10-8 tubeless 6 ply 20 x 10-8 tubeless 8 pl SRER RING BRAKE Automatic wet parking brakes integrated into wheel motors SPREED (MAXIMUM) 11 gauge (3 mm) Dome	EMISSION LEVEL COOLING SYSTEM FUEL CAPACITY ELECTRICAL SYSTEM TRACTION & DRIVE TRACTION SYSTEM DECK DRIVE HYDRAULIC CAPACITY	Side-by-side radiator/hydra 8 qt (7.6 L) capacit 20.4 gal 12-volt, input/output com Overload protection with Hydrostatic closed loop paralle pump; Seven individual hydraulic motors with self lubricating integral bearings 13.3 gal (50.2 liter; O-ring face seal fittings, 10 mic	EPA Tier 4 Final (EU Stage IIIB) ulic oil cooler; pressurized; y, 8.5 fins per inch (77.1 L) troller. 60 amp alternator. n automotive type fuses. el-cross-series SureTrac™ system; front high torque piston wheel r Nine individual hydraulic moto bear) capacity reservoir	Side-by-side radiator/hydraulic oil cooler; reversing fan; pressurized; 14.7 qt (13.9L) capacity, 8.5 fins per inch 29.5 gal (109.8 L) 12-volt, input/output controller. 90 amp alternator. Overload protection with automotive type fuses. variable displacement piston notors rs with self lubricating integral ings 20.3 gal (76.8 liter) capacity
COOLING SYSTEM Side-by-side radiator/hydraulic oil cooler, pressurized; B qt (7.6 L) capacity, 8.5 fins per inch capacity, 8	COOLING SYSTEM FUEL CAPACITY ELECTRICAL SYSTEM TRACTION & DRIVE TRACTION SYSTEM DECK DRIVE HYDRAULIC CAPACITY	8 qt (7.6 L) capacit 20.4 gal 12-volt, input/output cont Overload protection with Hydrostatic closed loop paralle pump; Seven individual hydraulic motors with self lubricating integral bearings 13.3 gal (50.2 liter; O-ring face seal fittings, 10 mic	ulic oil cooler; pressurized; y, 8.5 fins per inch (77.1 L) troller. 60 amp alternator. n automotive type fuses. el-cross-series SureTrac™ system; front high torque piston wheel r Nine individual hydraulic moto bear) capacity reservoir	oil cooler; reversing fan; pressurized; 14.7 qt (13.9L) capacity, 8.5 fins per inch 29.5 gal (109.8 L) 12-volt, input/output controller. 90 amp alternator. Overload protection with automotive type fuses. variable displacement piston notors rs with self lubricating integral ings 20.3 gal (76.8 liter) capacity
Side-by-side radiator/hydraulic oil cooler, pressurzed; 8 qt (7.6 L) capacity, 8.5 fins per inch oressurzed; 14.7 qt (13.9 capacity, 8.5 fins per inch FUEL CAPACITY 20.4 gal (7.1 L) 29.5 gal (109.8 L) ELECTRICAL SYSTEM 12-volt, input/output controller. 60 amp alternator. Overload protection with automotive type fuses. controller. 90 amp alternator. Overload protection with automotive type fuses. TRACTION & DRIVE Hydrostatic closed loop parallel-cross-series SurETrac ^M system; variable displacement pisto purp, front high torque piston wheel motors Overload protection with automotive type fuses. TRACTION & DRIVE Hydrostatic closed loop parallel-cross-series SurETrac ^M system; variable displacement pisto purp, front high torque piston wheel motors Overload protection with automotive type fuses. PARAULIC CAPACITY 13.3 gal (50.2 liter) capacity reservoir 20.3 gal (76.8 liter) capacity reservoir HYDRAULIC SYSTEM O-ring face seal fittings, 10 micron remote charge filters, suction screen at tank, oil cooler s by side radiator, diagnostic test ports. 20 mph (32.2 km/h), 20 mph (32.2 km/h), 20 mph (32.2 km/h), 20 mph (32.2 km/h), REVERSE 4 mph (6.4 km/h) 11 mph (17.7 km/h) TIRES 20 x 10-8 tubeless 6 ply 20 x 10-8 tubeless 6 ply SEREN TIRES 20 x 10-8 tubeless 6 ply 20 x 10-8 tubeless 6 pl SEREN TIRES 20 mpt nid dack Two 60 in (1.52 m) front deck,	FUEL CAPACITY ELECTRICAL SYSTEM TRACTION & DRIVE TRACTION SYSTEM DECK DRIVE HYDRAULIC CAPACITY	8 qt (7.6 L) capacit 20.4 gal 12-volt, input/output cont Overload protection with Hydrostatic closed loop paralle pump; Seven individual hydraulic motors with self lubricating integral bearings 13.3 gal (50.2 liter; O-ring face seal fittings, 10 mic	y, 8.5 fins per inch (77.1 L) troller. 60 amp alternator. n automotive type fuses. el-cross-series SureTrac [™] system; front high torque piston wheel r Nine individual hydraulic moto bear) capacity reservoir	oil cooler; reversing fan; pressurized; 14.7 qt (13.9L) capacity, 8.5 fins per inch 29.5 gal (109.8 L) 12-volt, input/output controller. 90 amp alternator. Overload protection with automotive type fuses. variable displacement piston notors rs with self lubricating integral ings 20.3 gal (76.8 liter) capacity
ELECTRICAL SYSTEM 12-volt, input/output controller. 60 amp alternator. Overload protection with automotive type fuses. 12-volt, input/output controller. 90 amp alternator. Overload protection with automotive type fuses. TRACTION & DRIVE Hydrostatic closed loop parallel-cross-series SureTrac ¹⁴⁴ system; variable displacement pisto purp, front high torque piston wheel motors Overload protection with automotive type fuses. DECK DRIVE Seven individual hydraulic motors with self lubricating integral bearings Nine individual hydraulic motors with self lubricating integral bearings HYDRAULIC CAPACITY 13.3 gal (50.2 liter) capacity reservoir 20.3 gal (76.8 liter) capacity reservoir PSEED (MAXIMUM) O-ring face seal fittings, 10 micron remote charge filters, suction screen at tank, oil cooler s by side radiator, diagnostic test ports. SPEED (MAXIMUM) 10 mph (16.4 km/h) 11 mph (17.7 km/h) MOWING 10 mph (16.4 km/h) 11 mph (17.7 km/h) TIRES, BRAKES & STEERING 26 s x 12-12 tubeless 8 ply 26.5 x 14-12 tubeless 6 ply SERVICE BRAKE Automatic wet parking brakes integrated into wheel motors system; emergency brak moving decks PARKING BRAKE Automatic wet parking brakes integrated into wheel motors system; emergency brak mo 60 in, (1.52 m) front deck; Two 44 in, (1.12 m) wing decks One 60 in, (1.52 m) front deck; Two 66 in, (1.52 m) front deck; Two 66 in, (ELECTRICAL SYSTEM TRACTION & DRIVE TRACTION SYSTEM DECK DRIVE HYDRAULIC CAPACITY	12-volt, input/output con Overload protection with Hydrostatic closed loop paralle pump; Seven individual hydraulic motors with self lubricating integral bearings 13.3 gal (50.2 liter; O-ring face seal fittings, 10 mic	troller. 60 amp alternator. n automotive type fuses. el-cross-series SureTrac™ system; front high torque piston wheel r Nine individual hydraulic moto bear) capacity reservoir	12-volt, input/output controller. 90 amp alternator. Overload protection with automotive type fuses. variable displacement piston notors rs with self lubricating integral ings 20.3 gal (76.8 liter) capacity
12-volf, input/Joutput controller. 60 amp alternator. Overload protection with automotive type fuses. controller. 90 amp alternator. Overload protection with automotive type fuses. TRACTION & DRIVE Hydrostatic closed loop parallel-cross-series SureTrac TM system; variable displacement pisto pump; front high torque piston wheel motors DECK DRIVE Hydrostatic closed loop parallel-cross-series SureTrac TM system; variable displacement pisto pump; front high torque piston wheel motors DECK DRIVE Hydrostatic closed loop parallel, cross-series SureTrac TM system; variable displacement pisto pump; front high torque piston wheel motors MDRAULIC CAPACITY 13.3 gal (50.2 liter) capacity reservoir 0-ring face seal fittings, 10 micron remote charge filters, suction screen at tank, oil cooler s by side radiator, diagnostic test ports. SPEED (MAXIMUM) 10 mph (16.4 km/h) 11 mph (17.7 km/h) MOWING 10 mph (16.4 km/h) 11 mph (17.7 km/h) TIRES, BRAKES & STEERING 26 x 12-12 tubeless 8 ply 26.5 x 14-12 tubeless 6 p By amic through traction system SERN TIRES 20 x 10-8 tubeless 8 ply 20 x 10-8 tubeless 6 p By amic through traction system Dynamic through traction system NUMBER AND SIZE One 60 in. (1.52 m) front deck; Two 64 in. (1.12 m) One 60 in. (1.52 m) front deck; Two 64 in. (1.52 m) front deck; One 60 in. (1.52 m) front deck; Two 64 in. (1.52 m) front deck; One 60 in. (1.52 m) front deck;	TRACTION & DRIVE TRACTION SYSTEM DECK DRIVE HYDRAULIC CAPACITY	Overload protection with Hydrostatic closed loop paralle pump; Seven individual hydraulic motors with self lubricating integral bearings 13.3 gal (50.2 liter; O-ring face seal fittings, 10 mic	n automotive type fuses. el-cross-series SureTrac [™] system; front high torque piston wheel r Nine individual hydraulic moto bear) capacity reservoir	controller. 90 amp alternator. Overload protection with automotive type fuses. variable displacement piston notors rs with self lubricating integral ings 20.3 gal (76.8 liter) capacity
TRACTION SYSTEM Hydrostatic closed loop parallel-cross-series SureTrac TM system; variable displacement pisto pump; front high torque piston wheel motors DECK DRIVE Seven individual hydraulic motors with self lubricating integral bearings Nine individual hydraulic motors with self lubricating integral bearings HYDRAULIC CAPACITY 13.3 gal (50.2 liter) capacity reservoir 20.3 gal (76.8 liter) capacity reservoir HYDRAULIC SYSTEM O-ring face seal fittings, 10 micron remote charge filters, suction screen at tank, oil cooler s by side radiator, diagnostic test ports. SFPEED (MAXIMUM) 0 mph (16.4 km/h) 11 mph (17.7 km/h) MOWING 10 mph (16.4 km/h) 11 mph (17.7 km/h) TRASPORT 25.5 mph (25 km/h) 20 mph (3.2.2 km/h), REVERSE 4 mph (6.4 km/h) 11 mph (17.7 km/h) TIRES, BRAKES & STEERING 20 x 10-8 tubeless 6 ply 20 x 10-8 tubeless 6 ply PARKING BRAKE Automatic wet parking brakes integrated into wheel motors STEERING 0ne 60 in. (1.52 m) front deck; Two 44 in. (1.12 m) wing decks 0ne 60 in. (1.52 m) front deck; Two 40 in. (1.52 m) front deck; Two 40 in. (1.52 m) front deck; Two 40 in. (1.52 m) wing decks 0ne 72 in. (1.83 m) front d Two 66 in. (1.68 m) wing decks DECK CONSTRUCTION 11 gauge (3 mm) Domex high strength steel shell Castor Wheelst sort, (1.52 m) front deck; Two 44 in. (1.2 m) wing decks	TRACTION SYSTEM DECK DRIVE HYDRAULIC CAPACITY	pump; Seven individual hydraulic motors with self lubricating integral bearings 13.3 gal (50.2 liter; O-ring face seal fittings, 10 mic	front high torque piston wheel r Nine individual hydraulic moto bear) capacity reservoir	notors rs with self lubricating integral ings 20.3 gal (76.8 liter) capacity
And Choice of Jithm pump: front high torque piston wheel motors DECK DRIVE Seven individual hydraulic motors with self lubricating integral bearings Nine individual hydraulic motors with self lubricating integral bearings HYDRAULIC CAPACITY 13.3 gal (50.2 liter) capacity reservoir 20.3 gal (76.8 liter) capacity reservoir HYDRAULIC SYSTEM O-ring face seal fittings, 10 micron remote charge filters, suction screen at tank, oil cooler s by side radiator, diagnostic test ports. SPEED (MAXIMUM) 0 0 mph (16.4 km/h) 11 mph (17.7 km/h) MOWING 10 mph (16.4 km/h) 11 mph (17.7 km/h) TRANSPORT 15.5 mph (25 km/h) 20 mph (32.2 km/h), REVERSE 4 mph (6.4 km/h) 6 mph (9.6 km/h) TIRES, BRAKES & STEERING 20 x 10-8 tubeless 6 ply 20 x 10-8 tubeless 6 ply SERVICE BRAKE Dynamic through traction system Dynamic through traction system STEERING Power Steering Dynamic through traction system DECK S & CUTTING 0ne 60 in. (1.52 m) front deck; Two 66 in. (1.52 m) ming decks Two 66 in. (1.68 m) wing decks DECK CONSTRUCTION 11 gauge (3 mm) Domex high strength steel shell Two 66 in. (1.68 m) wing decks DECK CONSTRUCTION 11 gauge (3 mm) Domex high strength steel shell Two 66 in. (1.52 m) front deck; Two 66 in. (1.52 m) front deck; Two 66 in. (1.52 m) front deck sor position. Electronic safety locks.	DECK DRIVE HYDRAULIC CAPACITY	pump; Seven individual hydraulic motors with self lubricating integral bearings 13.3 gal (50.2 liter; O-ring face seal fittings, 10 mic	front high torque piston wheel r Nine individual hydraulic moto bear) capacity reservoir	notors rs with self lubricating integral ings 20.3 gal (76.8 liter) capacity
DECK DRIVE motors with self lubricating integral bearings Nine indu/dula Hydraulic Hobbits in ubincating integral bearings HYDRAULIC CAPACITY 13.3 gal (50.2 liter) capacity reservoir 20.3 gal (76.8 liter) capacity reservoir HYDRAULIC SYSTEM O-ring face seal fittings, 10 micron remote charge filters, suction screen at tank, oil coolers by side radiator, diagnostic test ports. SPEED (MAXIMUM) 0 MOWING 10 mph (16.4 km/h) 11 mph (17.7 km/h) TRANSPORT 15.5 mph (25 km/h) 20 mph (32.2 km/h), REVERSE 4 mph (6.4 km/h) 6 mph (9.6 km/h) TIRES, BRAKES & STEERING 26 x 12-12 tubeless 8 ply 26.5 x 14-12 tubeless 6 pl SERVICE BRAKE 20 x 10-8 tubeless 6 ply 20 x 10-8 tubeless 6 ply SERVICE BRAKE Dynamic through traction system System; emergency brak system; emergency brak system; emergency brak system; emergency brak PARKING BRAKE Automatic wet parking brakes integrated into wheel motors System; of in (1.52 m) DIECK SA & CUTTING Wing decks 11 gauge (3 mm) Domex high strength steel shell CASTOR WHEELS Fingertip operated joysticks for individual deck lift/lower; cross cut position; front deck serv position. Electronic safety locks. WEIGHT TRANSFER On demand electrically operated hydraulic weight transfer system HEIGHT-OF-CUT** 0.2 -4.75 in. (25-121mm) in 0.25 in. (6.4 mm) increments 0.5 in. (12.5 mm) increment	HYDRAULIC CAPACITY	motors with self lubricating integral bearings 13.3 gal (50.2 liter, O-ring face seal fittings, 10 mic	bear) capacity reservoir	20.3 gal (76.8 liter) capacity
HYDRAULIC CAPACITY 13.3 gal (S0.2 liter) (agadity reservoir reservoir HYDRAULIC SYSTEM O-ring face seal fittings, 10 micron remote charge filters, suction screen at tank, oil cooler s by side radiator, diagnostic test ports. SPEED (MAXIMUM) MOWING 10 mph (16.4 km/h) 11 mph (17.7 km/h) TRANSPORT 20 mph (32.2 km/h), REVERSE 4 mph (6.4 km/h) 6 mph (9.6 km/h) TIRES, BRAKES & STEERING 26.5 x 14-12 tubeless 6 ply 20 x 10-8 tubeless 6 ply SERVICE BRAKE Dynamic through traction system Dynamic through traction system; emergency brak PARKING BRAKE Automatic wet parking brakes integrated into wheel motors Steern; emergency brak STEERING OverALL CUTTING WIDTH 137 in. (3.5 m) 168 in. (4.27 m) One 72 in. (1.83 m) front deck; Two 60 in. (1.52 m) front deck; Two 60 in. (1.52 m) wing decks One 60 in. (1.52 m) front deck; Two 60 in. (1.52 m) wing decks One 72 in. (1.83 m) front deck; Two 60 in. (1.52 m) wing decks Ten, 4 x 11 in. smooth tires DECK CONSTRUCTION 11 gauge (3 mm) Domex high strength steel shell CASTOR WHEELS Fingertip operated joysticks for individual deck lift/lower; cross cut position; front deck serv position. Electronic safety locks. WEIGHT TRANSFER On demand electrically operated hydraulic weight transfer system 1.0 - 4.75 in. (25-		O-ring face seal fittings, 10 mic	1 1	
HYDRAULIC SYSTEM O-ring face seal fittings, 10 micron remote charge filters, suction screen at tank, oil cooler s by side radiator, diagnostic test ports. SPEED (MAXIMUM) 10 mph (16.4 km/h) 11 mph (17.7 km/h) MOWING 10 mph (16.4 km/h) 11 mph (17.7 km/h) REVERSE 4 mph (6.4 km/h) 20 mph (32.2 km/h), REVERSE 4 mph (6.4 km/h) 6 mph (9.6 km/h) TIRES, BRAKES & STEERING 26.5 x 14-12 tubeless 6 ply 20.5 x 14-12 tubeless 6 ply FRONT TIRES 20 x 10-8 tubeless 6 ply 20 x 10-8 tubeless 6 ply 20 x 10-8 tubeless 6 ply SERVICE BRAKE Dynamic through traction system Dynamic through traction system; emergency brak PARKING BRAKE Automatic wet parking brakes integrated into wheel motors STEERING OVERALL CUTTING WIDTH 137 in. (3.5 m) 168 in. (4.27 m) 192 in. (4.9 m) NUMBER AND SIZE One 60 in. (1.52 m) front deck; Two 60 in. (1.52 m) wing decks One 72 in. (1.83 m) front d DECK CONSTRUCTION 11 gauge (3 mm) Domex high strength steel shell Two 64 in. (1.2 m) wing decks. Ten, 4 x 11 in. smooth tires DECK LIFT/LOWER Fingertip operated joysticks for individual deck lift/lower; cross cut position; front deck serve position. Electronic safety locks. 1.0 - 4.75 in. (25-121mm) in 0.25 in. (1.2 mm) inc	HYDRAULIC SYSTEM			reservoir
SPEED (MAXIMUM) 10 mph (16.4 km/h) 11 mph (17.7 km/h) MOWING 10 mph (16.4 km/h) 11 mph (17.7 km/h) TRANSPORT 15.5 mph (25 km/h) 20 mph (32.2 km/h), REVERSE 4 mph (6.4 km/h) 6 mph (9.6 km/h) TIRES, BRAKES & STEERING 5 6 mph (9.6 km/h) FRONT TIRES 26.5 x 14-12 tubeless 6 ply 20.5 x 14-12 tubeless 6 ply SERVICE BRAKE Dynamic through traction system Dynamic through traction system PARKING BRAKE Automatic wet parking brakes integrated into wheel motors STEERING OverALL CUTTING WIDTH 137 in. (3.5 m) NUMBER AND SIZE One 60 in. (1.52 m) front deck; Two 44 in. (1.12 m) wing decks One 60 in. (1.52 m) front deck; Two 60 in. (1.52 m) wing decks One 72 in. (1.83 m) front d Two 66 in. (1.68 m) wing decks DECK CONSTRUCTION 11 gauge (3 mm) Domex high strength steel shell CASTOR WHEELS Ten of x 11 in. smooth tires DECK LIFT/LOWER Fingertip operated joysticks for individual deck lift/lower; cross cut position; front deck serve position. Electronic safety locks. 1.0 - 6.0 in. (25-152 mm) WEIGHT TRANSFER On demand electrically operated hydraulic weight transfer system 1.0 - 6.0 in. (25-152 mm) 0.5 in. (12.7 mm) increments NUTING CABOCT** 13				n screen at tank, oil cooler side
TRANSPORT15.5 mph (25 km/h)20 mph (3.2.2 km/h), 6 mph (9.6 km/h)REVERSE4 mph (6.4 km/h)6 mph (9.6 km/h)TIRES, BRAKES & STEERING26 x 12-12 tubeless 8 ply26.5 x 14-12 tubeless 6 plFRONT TIRES20 x 10-8 tubeless 6 ply20 x 10-8 tubeless 6 plySERVICE BRAKEDynamic through traction systemDynamic through traction systemSERVICE BRAKEAutomatic wet parking brakes integrated into wheel motorsSTEERINGPower SteeringDECKS & CUTTINGOne 60 in. (1.52 m) front deck; Two 44 in. (1.12 m) wing decks168 in. (4.27 m)192 in. (4.9 m)NUMBER AND SIZEOne 60 in. (1.52 m) front deck; Two 44 in. (1.12 m) wing decks168 in. (4.27 m)0ne 72 in. (1.83 m) front d Two 66 in. (1.52 m) front deck; Two 60 in. (1.52 m) wing decksDECK CONSTRUCTION11 gauge (3 mm) Domex high strength steel shellCASTOR WHEELSTen, 4 x 11 in. smooth time position. Electronic safety locks.WEIGHT TRANSFEROn demand electrically operated hydraulic weight transfer system1.0 - 4.75 in. (25-121mm) in 0.25 in. (6.4 mm) increments1.0 - 4.5 in. (25-114 mm) in 0.5 in. (12.7 mm) incrementsCHITING CADACITY1.3.8 acres/hour at 10.0 mph17.0 acres/hour at 10.0 mph21.3 acres/hour at 11.0 mph	SPEED (MAXIMUM)	5	and and and and the set por	
REVERSE 4 mph (6.4 km/h) 6 mph (9.6 km/h) TIRES, BRAKES & STEERING 5 FRONT TIRES 26 x 12-12 tubeless 8 ply 26.5 x 14-12 tubeless 6 ply REAR TIRES 20 x 10-8 tubeless 6 ply 20 x 10-8 tubeless 6 ply SERVICE BRAKE Dynamic through traction system Dynamic through traction system PARKING BRAKE Automatic wet parking brakes integrated into wheel motors STEERING Power Steering DOVERALL CUTTING WIDTH 137 in. (3.5 m) 168 in. (4.27 m) 0ne 60 in. (1.52 m) front deck; Two 60 in. (1.52 m) front deck; Two 60 in. (1.52 m) wing decks 0ne 60 in. (1.52 m) wing decks 0ne 60 in. (1.52 m) wing decks DECK CONSTRUCTION 11 gauge (3 mm) Domex high strength steel shell Two 66 in. (1.68 m) wing decks DECK LIFT/LOWER Fingertip operated joysticks for individual deck lift/lower; cross cut position; front deck serv position. Electronic safety locks. WEIGHT TRANSFER On demand electrically operated hydraulic weight transfer system HEIGHT-OF-CUT** 1.0 - 4.75 in. (25-121mm) in 0.25 in. (12.7 mm) increments 0.5 in. (12.7 mm) increments 0.25 in. (6.4 mm) increments 1.0 - 4.5 in. (25-114 mm) in 0.5 in. (12.7 mm) increments 0.5 in. (12.7 mm) increments	MOWING	10 mph (1	6.4 km/h)	11 mph (17.7 km/h)
TIRES, BRAKES & STEERING FRONT TIRES 26 x 12-12 tubeless 8 ply 26.5 x 14-12 tubeless 6 ply REAR TIRES 20 x 10-8 tubeless 6 ply 20 x 10-8 tubeless 6 ply SERVICE BRAKE Dynamic through traction system Dynamic through traction system PARKING BRAKE Automatic wet parking brakes integrated into wheel motors STEERING Power Steering DOVERALL CUTTING WIDTH 137 in. (3.5 m) 168 in. (4.27 m) 0ne 60 in. (1.52 m) front deck; Two 60 in. (1.52 m) front deck; Two 60 in. (1.52 m) wing decks 0ne 60 in. (1.52 m) wing decks 0ne 60 in. (1.52 m) wing decks 0ne 60 in. (1.52 m) wing decks DECK CONSTRUCTION 11 gauge (3 mm) Domex high strength steel shell Two 66 in. (1.68 m) wing decks Two 66 in. (1.68 m) wing decks DECK LIFT/LOWER Fingertip operated joysticks for individual deck lift/lower; cross cut position; front deck serv position. Electronic safety locks. WEIGHT TRANSFER On demand electrically operated hydraulic weight transfer system HEIGHT-OF-CUT** 1.0 - 4.75 in. (25-121mm) in 0.25 in. (12.7 mm) increments 1.0 - 4.5 in. (12.7 mm) increments 1.8 acres/hour at 10.0 mph 17.0 acres/hour at 10.0 mph 21.3 acres/hour at 11.0 m	TRANSPORT	15.5 mph	(25 km/h)	20 mph (32.2 km/h),
FRONT TIRES 26 x 12-12 tubeless 8 ply 26.5 x 14-12 tubeless 6 ply REAR TIRES 20 x 10-8 tubeless 6 ply 20 x 10-8 tubeless 6 ply SERVICE BRAKE Dynamic through traction system Dynamic through traction system PARKING BRAKE Automatic wet parking brakes integrated into wheel motors STEERING Power Steering DOVERALL CUTTING WIDTH 137 in. (3.5 m) 168 in. (4.27 m) NUMBER AND SIZE One 60 in. (1.52 m) front deck; Two 44 in. (1.12 m) wing decks One 60 in. (1.52 m) front deck; Two 60 in. (1.52 m) wing decks DECK CONSTRUCTION 11 gauge (3 mm) Domex high strength steel shell CASTOR WHEELS Eight, 4 x 11 in. smooth tires DECK LIFT/LOWER Fingertip operated joysticks for individual deck lift/lower; cross cut position; front deck serv position. Electronic safety locks. WEIGHT TRANSFER 0.10 - 4.75 in. (25-121mm) in 0.25 in. (6.4 mm) increments 1.0 - 4.5 in. (25-114 mm) in 0.5 in. (12.7 mm) increments 1.0 - 6.0 in. (25-152 mm) 0.5 in. (12.7 mm) increments CHITING CABACITY 13.8 acres/hour at 10.0 mph 17.0 acres/hour at 10.0 mph 21.3 acres/hour at 11.0 m	REVERSE	4 mph (6	5.4 km/h)	6 mph (9.6 km/h)
REAR TIRES 20 x 10-8 tubeless 6 ply 20 x 10-8 tubeless 6 ply SERVICE BRAKE Dynamic through traction system Dynamic through traction system PARKING BRAKE Automatic wet parking brakes integrated into wheel motors STEERING Power Steering DECKS & CUTTING 00e 60 in. (1.52 m) front deck; Two 44 in. (1.12 m) wing decks 168 in. (4.27 m) 01e 72 in. (1.83 m) front d Two 66 in. (1.52 m) wing decks DECK CONSTRUCTION 11 gauge (3 mm) Domex high strength steel shell CASTOR WHEELS Ten, 4 x 11 in. smooth tire DECK LIFT/LOWER Fingertip operated joysticks for individual deck lift/lower; cross cut position; front deck serv position. Electronic safety locks. 1.0 - 4.75 in. (25-121mm) in 0.25 in. (12.7 mm) increments 1.0 - 4.5 in. (25-114 mm) in 0.5 in. (12.7 mm) increments CHING CARACITY 1.3.8 acres/hour at 10.0 mph 17.0 acres/hour at 10.0 mph 21.3 acres/hour at 11.0 m	TIRES, BRAKES & STEERING			
SERVICE BRAKE Dynamic through traction system Dynamic through traction system PARKING BRAKE Automatic wet parking brakes integrated into wheel motors STEERING Power Steering DECKS & CUTTING 00e 60 in. (1.52 m) front deck; Two 44 in. (1.12 m) wing decks 168 in. (4.27 m) 0192 in. (4.9 m) NUMBER AND SIZE One 60 in. (1.52 m) front deck; Two 44 in. (1.12 m) wing decks 0ne 60 in. (1.52 m) front deck; Two 60 in. (1.52 m) wing decks 0ne 60 in. (1.52 m) wing decks DECK CONSTRUCTION 11 gauge (3 mm) Domex high strength steel shell CASTOR WHEELS Ten, 4 x 11 in. smooth tires DECK LIFT/LOWER Fingertip operated joysticks for individual deck lift/lower; cross cut position; front deck serv position. Electronic safety locks. WEIGHT TRANSFER 0n demand electrically operated hydraulic weight transfer system HEIGHT-OF-CUT** 1.0 - 4.75 in. (25-121mm) in 0.25 in. (6.4 mm) increments 1.0 - 4.5 in. (25-114 mm) in 0.5 in. (12.7 mm) increments 1.0 - 6.0 in. (25-152 mm) 0.5 in. (12.7 mm) increments	FRONT TIRES	26 x 12-12 ti	ubeless 8 ply	26.5 x 14-12 tubeless 6 ply
SERVICE BRAKE Dynamic through traction system system; emergency brak PARKING BRAKE Automatic wet parking brakes integrated into wheel motors STEERING Power Steering DECKS & CUTTING 00e 60 in. (1.52 m) front deck; Two 44 in. (1.12 m) wing decks 168 in. (4.27 m) 192 in. (4.9 m) NUMBER AND SIZE One 60 in. (1.52 m) front deck; Two 44 in. (1.12 m) wing decks 0ne 60 in. (1.52 m) front deck; Two 60 in. (1.52 m) wing decks 0ne 60 in. (1.52 m) wing decks DECK CONSTRUCTION 11 gauge (3 mm) Domex high strength steel shell CASTOR WHEELS Eight, 4 x 11 in. smooth tires DECK LIFT/LOWER Fingertip operated joysticks for individual deck lift/lower; cross cut position; front deck serv position. Electronic safety locks. WEIGHT TRANSFER On demand electrically operated hydraulic weight transfer system HEIGHT-OF-CUT** 1.0 - 4.75 in. (25-121mm) in 0.25 in. (6.4 mm) increments 1.0 - 4.5 in. (25-114 mm) in 0.5 in. (12.7 mm) increments 1.0 - 6.0 in. (25-152 mm) 0.5 in. (12.7 mm) increments	REAR TIRES	20 x 10-8 tu	ubeless 6 ply	20 x 10-8 tubeless 8 ply
STEERING Power Steering DECKS & CUTTING 0VERALL CUTTING WIDTH 137 in. (3.5 m) 168 in. (4.27 m) 192 in. (4.9 m) NUMBER AND SIZE One 60 in. (1.52 m) front deck; Two 44 in. (1.12 m) wing decks One 60 in. (1.52 m) front deck; Two 60 in. (1.52 m) wing decks One 60 in. (1.52 m) wing decks DECK CONSTRUCTION 11 gauge (3 mm) Domex high strength steel shell Ten, 4 x 11 in. smooth tires CASTOR WHEELS Fingertip operated joysticks for individual deck lift/lower; cross cut position; front deck serv position. Electronic safety locks. WEIGHT TRANSFER On demand electrically operated hydraulic weight transfer system HEIGHT-OF-CUT** 1.0 - 4.75 in. (25-121mm) in 0.25 in. (12.7 mm) increments 1.0 - 4.5 in. (12.7 mm) increments 13.8 acres/hour at 10.0 mph 17.0 acres/hour at 10.0 mph 21.3 acres/hour at 11.0 m	SERVICE BRAKE	Dynamic through	h traction system	Dynamic through traction system; emergency brake
DECKS & CUTTING OVERALL CUTTING WIDTH 137 in. (3.5 m) 168 in. (4.27 m) 192 in. (4.9 m) NUMBER AND SIZE One 60 in. (1.52 m) front deck; Two 44 in. (1.12 m) wing decks One 60 in. (1.52 m) wing deck; Two 60 in. (1.52 m) wing decks One 72 in. (1.83 m) front d Two 66 in. (1.68 m) wing decks DECK CONSTRUCTION 11 gauge (3 mm) Domex high strength steel shell Ten, 4 x 11 in. smooth tires Ten, 4 x 11 in. smooth tires DECK LIFT/LOWER Fingertip operated joysticks for individual deck lift/lower; cross cut position; front deck serv position. Electronic safety locks. 1.0 - 4.75 in. (25-121 mm) in 0.25 in. (12.7 mm) increments 1.0 - 4.5 in. (25-114 mm) in 0.5 in. (12.7 mm) increments HEIGHT-OF-CUT** 13.8 acres/hour at 10.0 mph 17.0 acres/hour at 10.0 mph 21.3 acres/hour at 11.0 mph	PARKING BRAKE	Automatic we	t parking brakes integrated into	wheel motors
OVERALL CUTTING WIDTH 137 in. (3.5 m) 168 in. (4.27 m) 192 in. (4.9 m) NUMBER AND SIZE One 60 in. (1.52 m) front deck; Two 44 in. (1.12 m) wing decks One 60 in. (1.52 m) front deck; Two 60 in. (1.52 m) wing decks One 60 in. (1.52 m) wing deck; Two 60 in. (1.52 m) wing decks One 72 in. (1.83 m) front d Two 66 in. (1.68 m) wing decks DECK CONSTRUCTION 11 gauge (3 mm) Domex high strength steel shell Ten, 4 x 11 in. smooth tires Ten, 4 x 11 in. smooth tires DECK LIFT/LOWER Fingertip operated joysticks for individual deck lift/lower; cross cut position; front deck serv position. Electronic safety locks. 1.0 - 4.75 in. (25-121 mm) in 0.25 in. (12.7 mm) increments 1.0 - 4.5 in. (25-114 mm) in 0.5 in. (12.7 mm) increments 1.0 - 6.0 in. (25-152 mm) 0.5 in. (12.7 mm) increments CHITING CARACITY 13.8 acres/hour at 10.0 mph 17.0 acres/hour at 10.0 mph 21.3 acres/hour at 11.0 mph	STEERING		Power Steering	
NUMBER AND SIZE One 60 in. (1.52 m) front deck; Two 44 in. (1.12 m) wing decks One 60 in. (1.52 m) front deck; Two 60 in. (1.52 m) wing decks One 72 in. (1.83 m) front d Two 66 in. (1.68 m) wing decks DECK CONSTRUCTION 11 gauge (3 mm) Domex high strength steel shell Ten, 4 x 11 in. smooth tires Ten, 4 x 11 in. smooth tires DECK LIFT/LOWER Fingertip operated joysticks for individual deck lift/lower; cross cut position; front deck serv position. Electronic safety locks. Ten, 4 x 11 in. smooth tires HEIGHT-OF-CUT** 1.0 - 4.75 in. (25-121mm) in 0.25 in. (6.4 mm) increments 1.0 - 4.5 in. (25-114 mm) in 0.5 in. (12.7 mm) increments 1.0 - 6.0 in. (25-152 mm) 0.5 in. (12.7 mm) increments CHITING CARACITY 13.8 acres/hour at 10.0 mph 17.0 acres/hour at 10.0 mph 21.3 acres/hour at 11.0 mph	DECKS & CUTTING			
NUMBER AND SIZE Two 44 in. (1.12 m) wing decks One do in. (1.32 m) wing decks Two 66 in. (1.68 m) wing decks DECK CONSTRUCTION 11 gauge (3 mm) Domex high strength steel shell Two 66 in. (1.68 m) wing decks CASTOR WHEELS Eight, 4 x 11 in. smooth tires Ten, 4 x 11 in. smooth tires DECK LIFT/LOWER Fingertip operated joysticks for individual deck lift/lower; cross cut position; front deck serv position. Electronic safety locks. WEIGHT TRANSFER On demand electrically operated hydraulic weight transfer system HEIGHT-OF-CUT** 1.0 - 4.75 in. (25-121mm) in 0.25 in. (6.4 mm) increments 1.0 - 4.5 in. (25-114 mm) in 0.5 in. (12.7 mm) increments 1.0 - 6.0 in. (25-152 mm) 0.5 in. (12.7 mm) increments CHITING CARACITY 13.8 acres/hour at 10.0 mph 17.0 acres/hour at 10.0 mph 21.3 acres/hour at 11.0 mph	OVERALL CUTTING WIDTH	137 in. (3.5 m)	168 in. (4.27 m)	192 in. (4.9 m)
CASTOR WHEELS Eight, 4 x 11 in. smooth tires Ten, 4 x 11 in. smooth tires DECK LIFT/LOWER Fingertip operated joysticks for individual deck lift/lower; cross cut position; front deck serve position. Electronic safety locks. WEIGHT TRANSFER On demand electrically operated hydraulic weight transfer system HEIGHT-OF-CUT** 1.0 - 4.75 in. (25-121mm) in 0.25 in. (12.7 mm) increments 1.0 - 4.5 in. (25-152 mm) 0.5 in. (12.7 mm) increments 1.0 - 6.0 in. (25-152 mm) 0.5 in. (12.7 mm) increments CHITING CAPACITY 13.8 acres/hour at 10.0 mph 17.0 acres/hour at 10.0 mph 21.3 acres/hour at 11.0 mph	NUMBER AND SIZE	Two 44 in. (1.12 m)	One 60 In. (1.52 m) front deck,	(1.00 m)
DECK LIFT/LOWER Fingertip operated joysticks for individual deck lift/lower; cross cut position; front deck services position. Electronic safety locks. WEIGHT TRANSFER On demand electrically operated hydraulic weight transfer system HEIGHT-OF-CUT** 1.0 - 4.75 in. (25-121mm) in 0.25 in. (6.4 mm) increments 1.0 - 4.5 in. (25-114 mm) in 0.5 in. (12.7 mm) increments 1.0 - 6.0 in. (25-152 mm) 0.5 in. (12.7 mm) increments CULTING CAPACITY 13.8 acres/hour at 10.0 mph 17.0 acres/hour at 10.0 mph 21.3 acres/hour at 11.0 mph	DECK CONSTRUCTION	11 gauge	e (3 mm) Domex high strength s	teel shell
WEIGHT TRANSFER On demand electrically operated hydraulic weight transfer system HEIGHT-OF-CUT** 1.0 - 4.75 in. (25-121mm) in 0.25 in. (6.4 mm) increments 1.0 - 4.5 in. (25-114 mm) in 0.5 in. (12.7 mm) increments 1.0 - 6.0 in. (25-152 mm) 0.5 in. (12.7 mm) increments CUTTING CAPACITY 13.8 acres/hour at 10.0 mph 17.0 acres/hour at 10.0 mph 21.3 acres/hour at 11.0 mph	CASTOR WHEELS	Eight, 4 x 11 in	n. smooth tires	Ten, 4 x 11 in. smooth tire
HEIGHT-OF-CUT** 1.0 - 4.75 in. (25-121mm) in 0.25 in. (6.4 mm) increments 1.0 - 4.5 in. (25-114 mm) in 0.5 in. (12.7 mm) increments 1.0 - 6.0 in. (25-152 mm) 0.5 in. (12.7 mm) increments CUTTING CAPACITY 13.8 acres/hour at 10.0 mph 17.0 acres/hour at 10.0 mph 21.3 acres/hour at 11.0 mph	DECK LIFT/LOWER	Fingertip operated joysticks for	individual deck lift/lower; cross position. Electronic safety locks.	cut position; front deck service
Height-or-cut* 0.25 in. (6.4 mm) increments 0.5 in. (12.7 mm) increments 0.5 in. (12.7 mm) increments CUTTING CAPACITY 13.8 acres/hour at 10.0 mph 17.0 acres/hour at 10.0 mph 21.3 acres/hour at 11.0 mph	WEIGHT TRANSFER	On demand elec	trically operated hydraulic weigh	t transfer system
	HEIGHT-OF-CUT**			1.0 - 6.0 in. (25-152 mm) in 0.5 in. (12.7 mm) increments
(5.0 Ha/H at 10.0 KH/H) (0.5 Ha/H at 12.0 KH/H) (0.52 Ha/H at 17.7 KH/H	CUTTING CAPACITY	13.8 acres/hour at 10.0 mph (5.6 ha/hr at 16.0 km/h)	17.0 acres/hour at 10.0 mph (6.9 ha/hr at 12.0 km/h)	21.3 acres/hour at 11.0 mph (8.62 ha/hr at 17.7 km/h)

WEIGHT & DIMENSIONS			
WORKING WEIGHT (WITH ROPS)	3873 lbs (1756 kg)	4119 lbs (1868 kg)	4801 lbs (2178 kg)
LENGTH	143 in. (3.62 m) front deck down	143 in. (3.62 m) front deck down	147 in. (3.66 m) front deck down
HEIGHT	83 in. (2.1 m)	92 in. (2.34 m)	95 in. (2.41)
TRANSPORT WIDTH	65 in. (1.67 m)	65 in. (1.67 m)	77 in. (1.96 m)

* Engine power is provided by engine manufacturer. Actual operating power output may vary due to conditions of specific use. ** Height of cut depends on turf condition, reel wear and bedknife installed.

NOTE: Specifications, while correct at time of printing, may change without notice.

www.jacobsen.com 800.848.1636

©2018 Textron Specialized Vehicles Inc. 10009-I01 (Rev 02/2018) Cor

Attachment C

SHOW THIS NUMBER ON ALL SHIPMENTS. CORRESPONDENCE, OR INVOICES **Purchase Order** PO# 21002847 WISCONSIN RAPIDS SCHOOL DISTRICT DATE: 04/05/21 **510 PEACH STREET** WISCONSIN RAPIDS, WISCONSIN 54494 PAGE NO: 1 Of 1 PHONE (715) 424-6705 - FAX (715) 422-6070 **VENDOR:** 117641 REQ: 00042300 PHONE: (718)852-0105 BUYER: EMAIL: Fax: (646)514-5853 SHIP TO: Central Storage 2510 Industrial Street Flocabulary Inc Wisconsin Rapids WI 54495 1855 Griffin Road A-290

VENDOR ACCOUNT:

PO TYPE

CONTACT: K. Johnson SITE: Central Office

SPECIAL INSTRUCTIONS: Please email colink@nearpod.com

Dania Beach FL 33004

Please send the following, freight charges prepaid. Cancel back orders not received by

QTY UON	DESCRIPTION	UNIT PRICE	AMOUNT
	PER PURCHASING POLICY 672		
	Please see attached quote 110887-319211410		
1.00	Flocabulary Site License Renewal	13,750.0000	13,750.00
	TOTAL:		13,750.00
	BLDGS and GRNDS there is nothing to deliver		
	Provide to the BOE as an Update May, 2021.		

	1-10-829-362-222200-031-000000-2 13,750.00		

THE STATE OF WISCONSIN AND ALL ITS AGENCIES ARE EXEMPT FROM ALL FEDERAL, STATE, AND LOCAL TAXES, SEC. 77-54 PLEASE ACCEPT OUR PO AS EVIDENCE OF OUR EXEMPT STATUS

Signed: Reneender Apka.

Flocabulary Quote ID: 110887-319211410

Sales Order For: Kirsten Johnson WISCONSIN RAPIDS SCHOOL DISTRICT 510 PEACH ST WISC RAPIDS, Wisconsin 54494 UNITED STATES Flocabulary Contact: Colin Kiely 1855 Griffin Rd. Suite A-290 Dania Beach, FL 33004

Service Start: 06/30/2021 Service End: 06/29/2022

Description		Total
 Flocabulary Site License: Unlimited access to Flocabulary including: Access to the 600+ standards-aligned K-12 lessons, including a hip hop video and supporting activities Access to Week in Rap lessons, added weekly during the school year to spotlight current events Access to student accounts, enabling teachers to assign lessons and activities and view results of assessments 		\$13,750.00
	Total	(USD) \$13,750.00

Flocabulary Quote ID: 110887-319211410

Terms			
	alid until: 06/22/2021		
Service runs from 06/30/2021 until 06/29/2022, or from when customer is first provided access to the purchased			
service(s) for a length	of time equal to the time between the Start D	ate and End Date, whichever is later. The agreed upon	
price for this timefra	price for this timeframe is (USD) \$13,750.00.		
Flocabulary price quotes are confidential, unless disclosure is required by subpoena or state law.			
		ustomers. Please submit this price quote attachment	
	Order. Tax-exempt customers should inclu	de their tax-exempt number on their Purchase	
Order.			
online at: <u>https://ww</u>	ers the Flocabulary Services described her <u>vw.flocabulary.com/terms-of-use/</u> and the abulary.com/privacy-policy/.	ein and is governed by the Terms of Use available Privacy Policy available online	
Free Training Resour Access to how-to reso		ssed here: https://www.flocabulary.com/how-to-use/	
7 business days. Failure	to remit payment may cause a disruption in servic	in 30 days of invoicing. Otherwise, payment is required within e. By signing this Agreement, I certify that I am authorized to his Sales Order and any documents incorporated herein.	
	Purchase Order		
	Please provide PO#:		
	Credit Card Please provide email address secure payment link should be sent to:		
	Exp:		
	Name on card:		
	Check, ACH or Wire		
Name:	Kirsten Johnson		
Signature:	Kirsten Johnson		
Date:	March 26, 2021		
Tax Exempt #:			
Purchase Orders sho	uld be addressed to:		
Flocabulary, Inc.			
1855 Griffin Rd. Suite			
Dania Beach, FL 3300			
Email: colink@nearpo	od.com or FAX: +1 305-655-1999		

Attachment D

SHOW THIS NUMBER ON ALL SHIPMENTS, CORRESPONDENCE, OR INVOICES

PO# 21002848 WISCONSIN RAPIDS SCHOOL DISTRICT

DATE: 04/05/21

PAGE NO: 1 Of 1

PO TYPE: **VENDOR:** 1112 PHONE: (888) 511-5114

REQ: 00042296

Fax: (800)852-5458

BUYER:

Purchase Order

510 PEACH STREET WISCONSIN RAPIDS, WISCONSIN 54494

PHONE (715) 424-6705 - FAX (715) 422-6070

SHIP TO: Central Storage 2510 Industrial Street Wisconsin Rapids WI 54495

Follett School Solutions Inc 1340 Ridgeview Dr Attn: Laura Welter McHenry IL 60050

EMAIL:

CONTACT: K. Johnson SITE: Central Office

VENDOR ACCOUNT:

SPECIAL INSTRUCTIONS: Please email fssorders@follett.com

Please send the following, freight charges prepaid. Cancel back orders not received by

QTY UOM	DESCRIPTION	UNIT PRICE	AMOUNT
	PER PURCHASING POLICY 672		
	Please see attached quote 7560537		
1.00	Follett Library and Resource Management Renewal (See attached quote for itemized breakdown)	16,489.6200	16,489.62
	TOTAL:		16,489.62
	BLDGS and GRNDS there is nothing to deliver -Annual Renewal for the District		
	Provided to the BOE as an Update May, 2021.		

	1-10-200-362-295200-923-000000-2786.451-10-400-362-295200-923-000000-2786.451-10-829-362-222200-031-000000-214,916.72		

THE STATE OF WISCONSIN AND ALL ITS AGENCIES ARE EXEMPT FROM ALL FEDERAL, STATE, AND LOCAL TAXES, SEC. 77-54 PLEASE ACCEPT OUR PO AS EVIDENCE OF OUR EXEMPT STATUS

Signed: Kyneenser Laka

RENEWAL QUOTE



Page	1
Quote#	7560537
Issue Date	03/10/2021
Expiration Date	06/30/2021
Customer#	4892850
Customer	WISCONSIN RAPIDS SCHS

Quote Summary Payable in USD **Quote Total**

\$16,489.62

Applicable taxes are NOT included Service Expiration Dates are displayed at each line Item below

Mail Purchase Order with Quote or include Quote number on Purchase Order Mail Payment (Check) Follett School Solutions, Inc. 91826 Collection Center Drive Chicago, IL 60693 USA

Follett School Solutions, Inc. 1340 Ridgeview Drive McHenry, IL 60050 USA Email: FSSorders@follett.com

WISCONSIN RAPIDS SCHS 510 PEACH ST WISCONSIN RAPIDS WI 54494

ar and the second

	Quote Detalis	公开支付 是一		나라 비행 관 이 수	
		和	Current	New	कासम्बद्ध आपम. के. बेंद्र
item Num	ber///Description	Renewal Months	Expiration Date	Date	Amount
G W MEA	D ELEM SCH - 4801963				
48206P	DISTRICT MEMBER LM - HOSTED SERVICE RENEWAL	12	06/30/2021	06/30/2022	\$892.50
67058P	TITLEPEEK ONLINE SERVICE RENEWAL - DESTINY DISTRICT MEMBER	12	06/30/2021	06/30/2022	\$150.00
67055P	WEBPATH EXPRESS SITE LICENSE (RENEWAL)	12	06/30/2021	06/30/2022	\$469.06
				Site Total	\$1,511.56
	CH - 4801964				
48206P	DISTRICT MEMBER LM - HOSTED SERVICE RENEWAL	12	06/30/2021	06/30/2022	\$892.50
67058P	TITLEPEEK ONLINE SERVICE RENEWAL - DESTINY DISTRICT MEMBER	12	06/30/2021	06/30/2022	\$150.00
67055P	WEBPATH EXPRESS SITE LICENSE (RENEWAL)	12	06/30/2021	06/30/2022	\$469.06
GROVE E	LEM SCH - 4801965			Site Total	\$1,511.56
48206P					
	DISTRICT MEMBER LM - HOSTED SERVICE RENEWAL	12	06/30/2021	06/30/2022	\$892.50
67058P	TITLEPEEK ONLINE SERVICE RENEWAL - DESTINY DISTRICT MEMBER	12	06/30/2021	06/30/2022	\$150.00
67055P	WEBPATH EXPRESS SITE LICENSE (RENEWAL)	12	06/30/2021	06/30/2022	\$469.06
HOWE EL	EM SCH - 4801966			Site Total	\$1,511.56
48206P	DISTRICT MEMBER LM - HOSTED SERVICE RENEWAL	12	06/30/2021	06/30/2022	\$892.50

		14	00/30/2021	00/30/2022	4092.0U
67058P	TITLEPEEK ONLINE SERVICE RENEWAL - DESTINY DISTRICT MEMBER	12	06/30/2021	06/30/2022	\$150.00
67055P	WEBPATH EXPRESS SITE LICENSE (RENEWAL)	12	06/30/2021	06/30/2022	\$469.06
LINCOLN	HIGH SCH - 4801967			Site Total	\$1,511.56
48206P	DISTRICT MEMBER LM - HOSTED SERVICE RENEWAL	12	06/30/2021	06/30/2022	\$892.50

If you have any questions about this quote, please contact us:

US:708-884-5100 or email softwarecs@follett.com

Canada:877-857-7870 or email canada@follett.com

Outside the US or Canada: email international@follett.com

Did you know that Follett has a tool to manage your textbooks and other assets? Visit k12.follett.com/drmcomplete to learn more about Destiny® Resource Manager Complete Edition.

Purchase Follett technology products 24/7 on www.destinyexpress.com.



RENEWAL QUOTE

Page	2
Quote#	7560537
Issue Date	03/10/2021
Expiration Date	06/30/2021
Customer#	4892850
Customer	WISCONSIN RAPIDS SCHS

	QuoteiDetailis				
		Penewal	Expiration	Expiration	
	er//Description		Date	Date	Amount
49302P	DISTRICT MEMBER RM - HOSTED SERVICE RENEWAL	12	06/30/2021	06/30/2022	\$786.45
67059P	RPS ONLINE FOR LEXILES RENEWAL - DESTINY DISTRICT MEMBER	12	06/30/2021	06/30/2022	\$140.06
67058P	TITLEPEEK ONLINE SERVICE RENEWAL - DESTINY DISTRICT MEMBER	12	06/30/2021	06/30/2022	\$150.00
67055P	WEBPATH EXPRESS SITE LICENSE (RENEWAL)	12	06/30/2021	06/30/2022	\$469.06
RIVER CITI	ES HIGH SCH - 4804419			Site Total	\$2,438.07
48206P	DISTRICT MEMBER LM - HOSTED SERVICE RENEWAL	12	06/30/2021	06/30/2022	\$892.50
67059P	RPS ONLINE FOR LEXILES RENEWAL - DESTINY DISTRICT MEMBER	12	06/30/2021	06/30/2022	\$140.06
THINK - 48	04060			Site Total	\$1,032.56
48206P	DISTRICT MEMBER LM - HOSTED SERVICE RENEWAL				
48200P 67058P		12	06/30/2021	06/30/2022	\$892.50
	TITLEPEEK ONLINE SERVICE RENEWAL - DESTINY DISTRICT MEMBER	12	06/30/2021	06/30/2022	\$150.00
67055P	WEBPATH EXPRESS SITE LICENSE (RENEWAL)	12	06/30/2021	06/30/2022	\$469.06
WASHINGT	ON SCH - 4801971			Site Total	\$1,511.56
48206P	DISTRICT MEMBER LM - HOSTED SERVICE RENEWAL	12	06/30/2021	06/30/2022	\$892.50
67058P	TITLEPEEK ONLINE SERVICE RENEWAL - DESTINY DISTRICT MEMBER	12	06/30/2021	06/30/2022	\$150.00
67055P	WEBPATH EXPRESS SITE LICENSE (RENEWAL)	12	06/30/2021	06/30/2022	\$469.06
WISCONSI	N RAPIDS AREA MDL SCH - 4801972			Site Total	\$1,511.56
48206P	DISTRICT MEMBER LM - HOSTED SERVICE RENEWAL	12	06/30/2021	06/30/2022	\$892.50
49302P	DISTRICT MEMBER RM - HOSTED SERVICE RENEWAL	12	06/30/2021	06/30/2022	\$786.45
67059P	RPS ONLINE FOR LEXILES RENEWAL - DESTINY DISTRICT MEMBER	12	06/30/2021	06/30/2022	\$140.06
67058P	TITLEPEEK ONLINE SERVICE RENEWAL - DESTINY DISTRICT MEMBER	12	06/30/2021	06/30/2022	\$150.00
67055P	WEBPATH EXPRESS SITE LICENSE (RENEWAL)	12	06/30/2021	06/30/2022	\$469.06
WOODSIDE	SCH - 4801973			Site Total	\$2,438.07
48206P		12	06/30/2021	06/30/2022	\$892.50
67058P	TITLEPEEK ONLINE SERVICE RENEWAL - DESTINY DISTRICT MEMBER	12	06/30/2021	06/30/2022	\$150.00
67055P	WEBPATH EXPRESS SITE LICENSE (RENEWAL)	12	06/30/2021	06/30/2022	\$469.06
				Site Total	\$1,511.56

End of Quote

If you have any questions about this quote, please contact us: US:708-884-5100 or email softwarecs@follett.com Canada:877-857-7870 or email canada@follett.com Outside the US or Canada: email international@follett.com

Did you know that Follett has a tool to manage your textbooks and other assets? Visit k12.follett.com/drmcomplete to learn more about Destiny® Resource Manager Complete Edition.

Purchase Follett technology products 24/7 on www.destinyexpress.com.



RENEWAL QUOTE

Page	3
Quote#	7560537
Issue Date	03/10/2021
Expiration Date	06/30/2021
Customer#	4892850
Customer	WISCONSIN RAPIDS SCHS

If you have any questions about this quote, please contact us: US:708-884-5100 or email softwarecs@follett.com Canada:877-857-7870 or email canada@follett.com Outside the US or Canada: email international@follett.com

Did you know that Follett has a tool to manage your textbooks and other assets? Visit k12.follett.com/drmcomplete to learn more about Destiny® Resource Manager Complete Edition.

Purchase Follett technology products 24/7 on www.destinyexpress.com.

PO TYPE:		Purchase Order VISCONSIN RAPIDS SCHO 510 PEACH STREET WISCONSIN RAPIDS, WISCONSI PHONE (715) 424-6705 - FAX (715)	r OL DI N 54494		PO# DATE:	NUMBER ON ALL SHIPMENTS, NDENCE, OR INVOICES 21002906 04/15/21 1 Of 1
VENDOR:	140554	REQ: 00042399				
	(800) 966-6090 (262) 569-5391	EMAIL:	BUYER:	Central Storad		
	PDS 13400 Bishops Suite 190 Brookfield WI			2510 Industria Wisconsin Rapi P. Bickelhaupt	al Street ds WI 544	95

Attachment E

SITE: Central Office

VENDOR ACCOUNT:

SPECIAL INSTRUCTIONS: Please email aherald@pdsit.net

Please send the following, freight charges prepaid. Cancel back orders not received by _

ο Δτγ 🔤 υ	OM DESCRIPTION	UNIT PRICE	AMOUNT
	PER PURCHASING POLICY 672		
	Please see attached quote 2137747		
31.00	CTO ProDesk 600 G6 SFF Computer	909.0000	28,179.00
	TOTAL:		28,179.00
	BLDGS and GRNDS please deliver to Tim Kremer @ LHS (For room 152- LHS)		
	Will be provided to the BOE as an update at the May 3 meeting due to supply and demand, we need to order ASAP!		
	COPY TO RENEE, PLEASE - GASB/FIXED ASSETS LHS COMPUTER LAB		

	1-10-400-482-221500-923-000000-2 28,179.00		

THE STATE OF WISCONSIN AND ALL ITS AGENCIES ARE EXEMPT FROM ALL FEDERAL, STATE, AND LOCAL TAXES, SEC. 77-54 PLEASE ACCEPT OUR PO AS EVIDENCE OF OUR EXEMPT STATUS

Signed: Reneerlandka

) pds

Paragon Development Systems, Inc. 13400 Bishops Lane Suite 190 Brookfield, Wisconsin 53005 United States (P) 262-569-5300

Quote (Open)

Date Expiration Apr 12, 2021 07:35 AM CDT Date 04/30/2021 **Modified Date**

Apr 14, 2021 09:27 AM CDT

Doc # 2137747 - rev 1 of 1

Description ProDesk 600 G6 SFF (31)

SalesRep Herald, Amanda (P) 262-569-5396

Customer Contact Bickelhaupt, Phillip (P) 715-424-6715

Customer Wisconsin Rapids Public Schools (023268) Bickelhaupt, Phillip 510 Peach St Wisconsin Rapids, WI 54494 United States (P) 715-422-1912

Bill To

WI Rapids School District Payable, Accounts 510 Peach St Wisconsin Rapids, WI 54494 United States (P) 715-422-1912

Ship To Receiving, Shipping 510 Peach St Wisconsin Rapids, WI 54494 United States

Payment Method Terms: Net 30

Customer PO:	Terms:	Ship Via:	
and the second	Net 30	FedEx Ground	
Special Instructions:		Carrier Account #:	

#	Description	Part #	Qty	Unit Price	Total
1	CTO ProDesk 600 G6 SFF PC HP, Inc pds #: 702358	9AW71AV	31	\$909.00	\$28,179.00
2	CTO Operating System Localization HP, Inc pds #: 727473	4YH35AV#ABA	31	\$0.00	\$0.00
3	CTO Energy Star Certified HP, Inc pds #: 334655	6ME13AV	31	\$0.00	\$0.00
4	CTO 600 G6 SFF Platinum 210W Chassis HP, Inc pds #: 777160	9AW74AV	31	\$0.00	\$0.00
5	CTO 600 G6 Windows 10 Pro 64 HP, Inc pds #: 702405	9AX72AV	31	\$0.00	\$0.00
6	CTO 600 G6 SFF Intel Core i5 10500 3.1GHz 6C 65W HP, Inc pds #: 702426	9AW81AV	31	\$0.00	\$0.00
7	CTO 600 G6 SFF 16GB (1X16GB) DDR4 2666 HP, Inc pds #: 703822	9AX90AV	31	\$0.00	\$0.00
8	CTO 600 G6 AMD Radeon R7 430 2GB LP 2DP GFX HP, Inc pds #: 777161	9AW90AV	31	\$0.00	\$0.00
9	CTO 600 G6 SFF 512GB M.2 2280 PCIE NVME TLC SSD HP, Inc pds #: 777162	9AY27AV	31	\$0.00	\$0.00
10	CTO 600 G6 SFF USB 320K Keyboard HP, Inc pds #: 702469	2V616AV#ABA	31	\$0.00	\$0.00
11	CTO 600 G6 SFF Wired 320M Mouse HP, Inc pds #: 702471	2V615AV	31	\$0.00	\$0.00
12	CTO 600 G6 Intel Wi-Fi 6 AX201 ax 2x2+BT 5 WW HP, Inc pds #: 702474	9AY41AV	31	\$0.00	\$0.00
13	CTO 600 G5 No Intel vPro HP, Inc pds #: 402784	5MU96AV	31	\$0.00	\$0.00

#	Description	Part #	Qty	Unit Price	Total
14	CTO 600 G6 SFF No Included ODD HP, Inc pds #: 777163	9AX48AV	31	\$0.00	\$0.00
15	CTO 600 G6 SFF 3/3/3 Warranty HP, Inc pds #: 702476	9AY46AV#ABA	31	\$0.00	\$0.00
16	CTO 600 G6 SFF Country Kit HP, Inc pds #: 702478	9AY54AV#ABA	31	\$0.00	\$0.00
17	CTO 600 G6 SFF Single Unit Packaging HP, Inc pds #: 702484	9AX39AV	31	\$0.00	\$0.00
18	CTO 600 G6 SFF Type-C USB 3.1 Gen2 Port v2 HP, Inc pds #: 777164	9AY34AV	31	\$0.00	\$0.00
19	CTO Electronic TCO Certified labeling HP, Inc pds #: 404121	192J5AV	31	\$0.00	\$0.00
20	CTO 600 G6 SFF Intel CML Core i5 Label HP, Inc pds #: 702493	163L2AV	31	\$0.00	\$0.00

Subtotal: Tax (.0000%);	\$28,179.00 \$0.00
Shipping: Total:	\$0.00 \$28,179.00

Terms and Conditions

Unless a specific Master Services & Product Sales Agreement is in effect between the parties, this quote is subject to PDS's Terms & Conditions which can be viewed at http://www.shoppds.com/termsofsale.aspx

Shipping and tax amounts are estimated.

Purchases made by credit card may be subject to a 3% Convenience Fee at the time of invoicing.

PDS has been notified by numerous technology manufacturers that pricing is subject to rapid change due to global component shortages and related price increases. This situation is not unique to PDS.

Please contact your sales team with additional questions.

Attachment F

Purchase Order WISCONSIN RAPIDS SCHOOL DISTRICT

510 PEACH STREET WISCONSIN RAPIDS, WISCONSIN 54494 PHONE (715) 424-6705 - FAX (715) 422-6070 SHOW THIS NUMBER ON ALL SHIPMENTS, CORRESPONDENCE, OR INVOICES

DATE: 04/22/21

PAGE NO: 1 Of 1

VENDOR: 140554 PHONE: (800)966-6090

PDS

A

PO TYPE:

REQ: 00042444

Fax: (262) 569-5391 EMAIL:

13400 Bishops Lane

Brookfield WI 53005

BUYER:

SHIP TO: Central Storage 2510 Industrial Street Wisconsin Rapids WI 54495

CONTACT: P. Bickelhaupt SITE: Central Office

VENDOR ACCOUNT:

Suite 190

SPECIAL INSTRUCTIONS: Please email aherald@pdsit.net

Please send the following, freight charges prepaid. Cancel back orders not received by

QTY	UOM	DESCRIPTION	UNIT PRICE	AMOUNT
		PER PURCHASING POLICY 672		
		Please see attached quote 2137057		
16.0	0	CTO ProDesk 400 G7 SFF Desktop	542.0000	10,272.00
		TOTAL:		10,272.00
		BLDGS and GRNDS please deliver to Kody Casper @ TRC (for Pitsch Classrooms) Will go to BOE as an update during May 2021 Meeting		

		1-10-842-482-221500-825-000000-2 10,272.00		
				MANED
			er j	4/22/21
				LR

THE STATE OF WISCONSIN AND ALL ITS AGENCIES ARE EXEMPT FROM ALL FEDERAL, STATE, AND LOCAL TAXES, SEC. 77-54 PLEASE ACCEPT OUR PO AS EVIDENCE OF OUR EXEMPT STATUS

Signed: Repleventer opha

pds

Paragon Development Systems, Inc. 13400 Bishops Lane Suite 190 Brookfield, Wisconsin 53005 United States (P) 262-569-5300

Quote (Open)

Date Expiration Apr 06, 2021 03:01 PM Date 04/30/2021 Modified Date

Apr 06, 2021 03:02 PM CDT

Doc # 2137057 - rev 1 of 1

Description ProDesk 400 G7 SFF 8GB 256GB SSD

SalesRep

Herald, Amanda (P) 262-569-5396 Customer Contact

Bickelhaupt, Phillip (P) 715-424-6715

Customer Wisconsin Rapids Public Schools (023268) Bickelhaupt, Phillip 510 Peach St Wisconsin Rapids, WI 54494 United States (P) 715-422-1912 Bill To WI Rapids School District Payable, Accounts 510 Peach St Wisconsin Rapids, WI 54494 United States (P) 715-422-1912 Ship To Receiving, Shipping 510 Peach St Wisconsin Rapids, WI 54494 United States Payment Method Terms: Net 30

Customer PO:	Terms:	Ship Via:
	Net 30	FedEx Ground
Special Instructions:		Carrier Account #:

#	Description	Part#	Qty	Unit Price	Total
1	CTO ProDesk 400 G7 SFF Base Desktop HP, Inc pds #: 334473	9DF60AV	16	\$642.00	\$10,272.00
2	CTO Operating System Localization HP, Inc pds #: 727473	4YH35AV#ABA	16	\$0.00	\$0.00
3	CTO ENERGY STAR Certified Label HP, Inc pds #: 727460	2WQ81AV	16	\$0.00	\$0.00
4	CTO ProDesk SFF 210W Chassis HP, Inc pds #: 548008	9DF63AV	16	\$0.00	\$0.00
5	CTO 400 SFF Windows 10 Pro 64 HP, Inc pds #: 710037	9DG74AV	16	\$0.00	\$0.00
6	CTO 400 G7 Intel Core i5-10500 3.1GHz 6C 65W HP, Inc pds #: 337170	9DF73AV	16	\$0.00	\$0.00
7	CTO 400 SFF 8GB (1x8GB) DDR4 2666 DIMM HP, Inc pds #: 710039	9DG95AV	16	\$0.00	\$0.00
8	CTO 256GB M.2 2280 PCIe NVMe TLC SSD HP, Inc pds #: 337319	9DH08AV	16	\$0.00	\$0.00
9	CTO 400 G7 USB 320K KB HP, Inc pds #: 337210	3E910AV#ABA	16	\$0.00	\$0.00
10	CTO WRD 320M Mouse HP, Inc pds #: 337215	3E909AV	16	\$0.00	\$0.00
11	CTO 400 SFF No Intel vPro with 3rd video HP, Inc pds #: 710040	9RQ71AV	16	\$0.00	\$0.00
12	CTO 400 SFF No Included ODD HP, Inc pds #: 710042	9DG49AV	16	\$0.00	\$0.00
13	CTO 3/3/3 SFF Warranty HP, Inc pds #: 337237	9DH29AV#ABA	16	\$0.00	\$0.00

#	Description	Part/#	Qty	Unit Price	Total
14	CTO CTO 400 G7 SFF CKIT HP, Inc pds #: 337233	9DF64AV#ABA	16	\$0.00	\$0.00
15	CTO Single Unit SFF Packaging HP, Inc pds #: 337220	9DG39AV	16	\$0.00	\$0.00
16	CTO 400 SFF HDMI Port HP, Inc pds #: 710044	9DF98AV	16	\$0.00	\$0.00
17	CTO Intel CML Core I5 Label HP, Inc pds #: 337243	167S4AV	16	\$0.00	\$0.00

Subtotal:	\$10,272.00
Tax (.0000%):	\$0.00
Shipping:	\$0.00
Total:	\$10,272.00

Terms and Conditions

Unless a specific Master Services & Product Sales Agreement is in effect between the parties, this quote is subject to PDS's Terms & Conditions which can be viewed at http://www.shoppds.com/termsofsale.aspx

Shipping and tax amounts are estimated.

Purchases made by credit card may be subject to a 3% Convenience Fee at the time of involcing.

PDS has been notified by numerous technology manufacturers that pricing is subject to rapid change due to global component shortages and related price increases. This situation is not unique to PDS.

Please contact your sales team with additional questions.

Attachment G

Page: 1



WISCONSIN RAPIDS SCHOOL DIST. ATTN: BUSINESS SERVICES DEPT 510 PEACH STREET WISCONSIN RAPIDS, WI 54494

Invoice Detail

 Invoice #
 0000211194

 Invoice Date
 07/01/2021

 Due Date
 07/15/2021

 Invoice Total
 45,313.65

* Invoice was emailed.

Qty.	Item Description	Unit Price	Extension	
4985.00	STUDENT MANAGEMENT CORE (SAAS) - SOFTWARE LICENSE	4.4100	21,983.85	
4985.00	SUPPORT FEE - STUDENT MANAGEMENT SUITE	2.0800	10,368.80	
4985.00	FOOD SERVICE (SAAS) - SOFTWARE LICENSE	1.3000	6,480.50	
4985.00	FEE TRACKING (SAAS) - SOFTWARE LICENSE	0.7800	3,888.30	
4985.00	LMS/ONE ROSTER API (SAAS) - SOFTWARE LICENSE	0.5200	2,592.20	

Software Licenses: 07/01/2021 - 06/30/2022

Quantity represents student count; unless minimum rate applies.

	I otal Extensi	ion 45,313.65
REMIT TO: SKYWARD ACCOUNTING DEPT 2601 SKYWARD DRIVE STEVENS POINT, WI 54482	Invoice # 0000211194 Invoice Date 07/01/2021 Payor WISCONSIN RAPIDS SC Due Date 07/15/2021	CHOOL DIST. (WIRAPIW1000)
	Remit Amount:	45,313.65
PLEASE RETURN STUB WITH	PAYMENT. Questions can be directed to account@skyward.	com

	WRPS	Payment Reque	
Scho	ool District of Wisconsir	n Rap	office Use Only: 6831 ids Reset Form Print Form
Visc	onsin Rapids, Wisconsin		
	t Request Form nt To:		
ayme	t Request Form nt To: Boys & Girls Club of Wisconsin Rapids Area, Inc	Date	04/19/21
ayme	nt To:	Date	04/19/21 501 W. Grand Ave
	nt To:		

Using the Payment Request Form: To use this form, fill in the appropriate fields, then print the form with the print button. Once the form has been printed, attach the receipt to the printed form, and give to the appropriate person for approval. If the version of Adobe being used doesn't allow you to fill out the form on the computer, print out the form, and fill it in by hand.

	Description of Items	Purchased		Total
Payment from Behavior Mental Wellness Gran	nt to help support Teen C	enter	(2147)	10,000.00
provided to BO	Easanup	dated Mar	1,2021	
			Tota	10,000.00
Building: Central Office				
	07 ¢ 10,000 00	Account Number:		\$
Account Number: 11-800-310219000-2	97 \$ 10,000.00	Account Number.		
Account Number:	\$	Account Number:		\$
Account Number:	\$			
Requested By: Dani Scott				
Approved By:	ott		run 4/2	1
(Adn	ninistrator)		(Business Administrative As	sistant)

Boys & Girls Club of the Wisconsin Rapids Area, INC 501 W Grand Ave Wisconsin Rapids, WI 54495

Date	Invoice #
4/19/2021	2647

(715) 424-2582 Phone (715) 424-5796 Fax www.bgcwra.org

<u>Bill To:</u> Wisconsin Rapids Public School District

Description	An	nount
Wisconsin Rapids Teen Center Support		10,000.00
	Total	\$10,000.0